



CERTIFICATE OF PRODUCT CERTIFICATION

Certificate Number: 012-0085

This is to certify that 'LTwo®'

Model Ref: APL-LTwoT5-aa-bb-cc-ddd-eee-ff-gg-hhhh

Placed on the market by:



Unit 16 The Business Centre,
Molly Millars Lane,
Wokingham,
RG41 2QY,
United Kingdom

***meet the requirements of the LIA/CIBSE Assured Product Verification Scheme
'TSD-012, v1'.***

06 August 2024

Date of Initial Registration

06 August 2024

Date of Last Issue

06 August 2027

Date of Expiry

The validity of this certificate is subject to continuing conformity with The LIA/CIBSE's TSD-012 scheme requirements. The absence of any products listed on certificate but not on the LIA Laboratory certification website indicates that certification of that product is no longer valid.



Bob Bohannon
Head of Policy & Sustainability

Signed on behalf of LIA Laboratory Ltd

Issued by: LIA Laboratory Ltd, Stafford Park 7,
Telford, Shropshire, TF3 3BQ

For verification of this certificate please visit:
www.lialabcert.org.uk/certificates-search

MANUFACTURER

Architectural FX,
Unit 16 The Business Centre,
Molly Millars Lane,
Wokingham,
RG41 2QY,
United Kingdom

STANDARD(S)

TM66:2021,
CEAM Beta

SCORE

2.5

Delivered by

theLIA
Laboratory



Product Code Explanation

LTwo®

Example:

Model Reference: APL-LTwoT5-CV-20-40-280-935-BB-MAG-IP20 4 HHD15 3000k MP LO EC2 IP40
APL-LTwoT5-aa-bb-cc-ddd-eee-ff-gg-hhhh

APL-LTwoT5 – Portfolio name (range);

aa – Operating system – CV (Constant voltage);

bb – Nominal power per meter - 20;

cc – Optic – 40;

ddd– Length (mm) – 280 / 560 / 840 / 1120 / 1400;

eee – Photometric code – 972 (CRI>90, 2700K) / 930 (CRI>90, 3000K) / 935 (CRI>90, 3500K) / 940 (CRI>90, 4000K) / 850 (CRI>80, 5000K);

ff- Housing colour – BB (Black antiglare) / WW (White antiglare);

gg – Magnetic luminaire holder – MAG;

hhhh – IP Rating – IP20